

Dörepack

Product specification manual

EDITION 1.0 - UPDATED FEBRUARY 2022





CONTENTS

ABOUT DOREHARDWARE

3

SINGLE DOORS

4

- Dorepack Single Latched Door with Lever Handles 5
- Dorepack Single Lockable Door with Lever Handles 6
- Dorepack Single Door with Digi Lock 7
- Dorepack Single WC Door 8
- Dorepack Single Riser/Cupboard 9
- Dorepack Single Push/Pull Door 10
- Dorepack Single Lockable Push/Pull Door 11

LEAF AND HALF DOORS

12

- Dorepack 1.5 Leaf Latched Door 13
- Dorepack 1.5 Leaf Lockable Door 14
- Dorepack 1.5 Leaf Push/Pull Door 15

DOUBLE DOORS

16

- Dorepack Double Push/Pull Door 17
- Dorepack Lockable Double Doors 18
- Dorepack Double Riser/Cupboard 19

PRODUCTS

20

SYMBOL KEY

23

All prices shown in this brochure were correct at time of going to press and are ex VAT

Dörehardware

It has always been our aim to make ironmongery as simple as possible for our specifiers and customers. We have now taken this a step further by introducing Dorepacks which are pre-packaged sets of ironmongery for a wide variety of applications making it so simple for the specifier, door manufacturer, contractor, and of course efficiency and convenience on site. We do not include hinges in Dorepacks as doors are often supplied prefitted with hinges or hung prior to the installation of the other ironmongery. Hinges can be ordered from us separately.



- Ensures compatibility of all components.
- Compliant with fire and disability regulations.
- Easy to specify.
- Easy pricing.
- Quick delivery.
- Straightforward for door manufacturers and contractors alike.
- Can be sent direct to site to minimise handling and stock holding.
- All ironmongery needed for the door will be in an individual pack.
- Reduces items going missing on site.


SINGLE DOORS




Doors in circulation areas like corridors, stairwells and lobbies should generally have Pull Handles and Finger Plates, not Lever Handles. Generally doors in these areas would not be mechanically lockable as they are often on fire escape routes.

Generally doors going into a room would have a Lever Handle and latch, however sometimes due to the nature of the building use, Pull Handles and Finger Plates might be preferred.


Remember: If this is preferred, a door closer will be required to keep the door in the shut position even if it is not a fire door.

SINGLE DOORS




Dorepack Single Latched Door with Lever Handles		Square	Radius	£
NON FIRE RATED	Lever handles, DIN mortice latch and door stop. 	S015S	S015R	
FIRE RATED 30 MINS	Lever handles, DIN mortice latch, intumescent jacket for lock, door closer, fire door keep shut signs and door stop. 	S006S	S006R	
FIRE RATED 60 MINS	Lever handles, DIN mortice latch, intumescent jacket for lock, door closer, fire door keep shut signs and door stop. 	S007S	S007R	











SINGLE DOORS




Dorepack Single Lockable Door with Lever Handles		Square	Radius	£
NON FIRE RATED	<p>Lever handles, DIN sash lock, euro profile cylinder and turn, euro profile escutcheons and door stop.</p>	S003S	S003R	
FIRE RATED 30 MINS	<p>Lever handles, DIN sash lock, intumescent jacket for lock, euro profile cylinder and turn, euro profile escutcheons, door closer, fire door keep shut signs and door stop.</p>	S001S	S001R	
FIRE RATED 60 MINS	<p>Lever handles, DIN sash lock, intumescent jacket for lock, euro profile cylinder and turn, euro profile escutcheons, door closer, fire door keep shut signs and door stop.</p>	S002S	S002R	

SINGLE DOORS




Dorepack Single Door with Digi Lock		Product Code	£
NON FIRE RATED	Digital lock with lever handle, door closer and door stop.    	S019	
FIRE RATED 30 MINS	Digital lock with lever handle, fire kit for digital lock, door closer, fire door keep shut signs and door stop.      	S020	



SINGLE DOORS




Dorepack Single WC Door		Square	Radius	£
DISABLED	<p>Lever handles, DIN bathroom lock, turn and release set, disabled symbol and door stop.</p> 	S010S	S010R	
FEMALE	<p>Lever handles, DIN bathroom lock, WC Turn & Release, female symbol and door stop.</p> 	S011S	S011R	
MALE	<p>Lever handles, DIN bathroom lock, WC Turn & Release, male symbol and door stop.</p> 	S012S	S012R	
SHOWER	<p>Lever handles, DIN bathroom lock, WC Turn & Release set, shower symbol and door stop.</p> 	S013S	S013R	
UNISEX	<p>Lever handles, DIN bathroom lock, WC Turn & Release, unisex symbol and door stop.</p> 	S014S	S014R	












SINGLE DOORS




Dorepack Single Riser/Cupboard		Square	Radius	£
FIRE RATED 30 MINS	<p>DIN dead lock, intumescent jacket for lock, single euro profile, euro profile cylinder pull, fire door keep locked sign and door stop.</p> 	S008S	S008	
FIRE RATED 60 MINS	<p>DIN dead lock, intumescent jacket for lock, single euro profile cylinder, euro profile cylinder pull, fire door keep locked sign and door stop.</p> 	S009S	S009R	




SINGLE DOORS



Dorepack Single Push/Pull Door		Product Code	£
NON FIRE RATED	Pull handle, finger plate, door closer and door stop. <div>      </div>	S005	
FIRE RATED 30 / 60 MINS	Pull handle, finger plate, door closer, fire door keep shut signs and door stop. <div>       </div>	S004	

SINGLE DOORS



Dorepack Single Lockable Push/Pull Door		Square	Radius	£
NON FIRE RATED	<p>DIN dead lock, pull handle, finger plate, euro profile cylinder and turn, euro profile escutcheons, door closer and door stop.</p> 	S016S	S016R	
FIRE RATED 30 MINS	<p>DIN dead lock, intumescent jacket for lock, pull handle, finger plate, euro profile cylinder and turn, euro profile escutcheons, door closer, fire door keep shut signs and door stop.</p> 	S017S	S017R	
FIRE RATED 60 MINS	<p>DIN dead lock, intumescent jacket for lock, pull handle, finger plate, euro profile cylinder and turn, euro profile escutcheons, door closer, fire door keep shut signs and door stop.</p> 	S018S	S018R	




LEAF AND HALF DOORS




The 'half' leaf on this door arrangement is usually treated as a bolted/locked panel, which is often just used to provide extra width when moving large items such as furniture through the doorway. Also the 'half' leaf is often too narrow to correctly fit a door closer, so it is usually just secured with two bolts together with Fire Door Keep Locked signs indicating that the bolts should be kept in the locked position.

Doors in circulation areas like corridors, stairwells and lobbies should generally have Pull Handles and Finger Plates, not Lever Handles. Generally doors in these areas would not be mechanically lockable as they are often on fire escape routes.


Generally doors going into a room would have a Lever Handle and latch, however sometimes due to the nature of the building use, Pull Handles and Finger Plates might be preferred. Remember: If this is preferred, a door closer will be required to keep the door in the shut position even if it is not a fire door.

LEAF AND HALF DOORS




Dorepack 1.5 Leaf Latched Door		Square	Radius	£
NON FIRE RATED	<p>Lever handles, DIN mortice latch, lever action flush bolts and door stop.</p> 	H006S	H006R	
FIRE RATED 30 MINS	<p>Lever handles, DIN mortice latch, intumescent jacket for lock, lever action flush bolts, intumescent jacket for flush bolt, door closer, fire door keep shut and fire door keep locked signs and door stop.</p> 	H004S	H004R	
FIRE RATED 60 MINS	<p>Lever handles, DIN mortice latch, intumescent jacket for lock, lever action flush bolts, intumescent jacket for flush bolt, door closer, fire door keep shut and fire door keep locked signs and door stop.</p> 	H005S	H005R	



LEAF AND HALF DOORS



Dorepack 1.5 Leaf Lockable Door		Square	Radius	£
NON FIRE RATED	<p>Lever handles, DIN sash lock, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolt and door stop.</p>	H003S	H003R	
FIRE RATED 30 MINS	<p>Lever handles, DIN sash lock, intumescent jacket for lock, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolts, intumescent jacket for flush bolt, door closer, fire door keep shut and keep locked signs and door stop.</p>	H001S	H001R	
FIRE RATED 60 MINS	<p>Lever handles, DIN sash lock, intumescent jacket for lock, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolts, intumescent jacket for flush bolt, door closer, fire door keep shut and keep locked signs and door stop.</p>	H002S	H002	

LEAF AND HALF DOORS



Dorepack 1.5 Leaf Push/Pull Door		Square	Radius	£
NON FIRE RATED	<p>Pull handles, finger plate, lever action flush bolt, door closer and door stop.</p> 	H007S	H007R	
FIRE RATED 30 / 60 MINS	<p>Pull handles, finger plate, lever action flush bolt, intumescent jacket for flush bolt, door closer, fire door keep shut and fire door keep locked signs and door stop.</p> 	H008S	H008R	















DOUBLE DOORS

Doors in circulation areas like corridors, stairwells and lobbies should generally have Pull Handles and Finger Plates, not Lever Handles. Generally doors in these areas would not be mechanically lockable as they are often on fire escape routes.


Double doors going into a room are also recommended to have Pull Handles and Finger Plates. Lever Handles and Latch are best avoided in this application particularly if they're fire doors or are self-closing. The reason for this is that the two door leaves can close out of sequence, causing damage to the latch and not allowing the doors to close correctly.




DOUBLE DOORS




Dorepack Double Push/Pull Door		Product Code	£
NON FIRE RATED	Pull handles, finger plates, door closers and door stops.     	D002	
FIRE RATED 30 / 60 MINS	Pull handles, finger plates, door closers, fire door keep shut sign and door stops.      	D001	



DOUBLE DOORS



Dorepack Lockable Double Doors		Square	Radius	£
NON FIRE RATED	<p>DIN dead lock, pull handles, finger plates, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolts, door closers and door stops.</p> 	D005S	D005R	
FIRE RATED 30 MINS	<p>DIN dead lock, intumescent jacket for lock, pull handles, finger plates, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolts, intumescent jackets for flush bolts, door closers, fire door keep shut signs and door stops.</p> 	D006S	D006R	
FIRE RATED 60 MINS	<p>DIN dead lock, intumescent jacket for lock, pull handles, finger plates, euro profile cylinder and turn, euro profile escutcheons, lever action flush bolts, intumescent jackets for flush bolts, door closers, fire door keep shut signs and door stops.</p> 	D007S	D007R	

DOUBLE DOORS



Dorepack Double Riser/Cupboard		Square	Radius	£
FIRE RATED 30 MINS	<p>DIN dead lock, intumescent jacket for lock, single euro profile, euro profile cylinder pull, lever action flush bolts, intumescent jackets for flush bolt, fire door keep locked signs and door stops.</p> 	D003S	D003R	
FIRE RATED 60 MINS	<p>DIN dead lock, intumescent jacket for lock, single euro profile, euro profile cylinder pull, lever action flush bolts, intumescent jackets for flush bolt, fire door keep locked signs and door stops.</p> 	D004S	D004R	

PRODUCTS

Double Ball Bearing Grade 13



Dimensions: 102 x 76 x 3mm
 Product Code: Square: 2220.13.SSS
 Radius: 2220.13R.SSS
 Price:

High Performance Hinge Grade 14



Dimensions: 102 x 76 x 3mm
 Product Code: Square: 2205.01.SSS
 Radius: 2205.01R.SSS
 Price:

Butt Hinge Intumescent 30 Mins



Dimensions: 102 x 76 x 3mm
 Product Code: 2220.INT30
 Price:

DIN Sash Lock



Dimensions: 60mm Backset,
 72mm Centres
 Product Code: Square: 2405.01.SSS
 Radius: 2405.01R.SSS
 Price:

DIN Dead Lock



Dimensions: 60mm Backset
 Product Code: Square: 2405.02.SSS
 Radius: 2405.02R.SSS
 Price:

DIN Mortice Latch




Dimensions: 60mm Backset
 Product Code: Square: 2405.03.SSS
 Radius: 2405.03R.SSS
 Price:

DIN Bathroom Lock




Dimensions: 60mm Backset,
 72mm Centres
 Product Code: Square: 2405.04.SSS
 Radius: 2405.04R.SSS
 Price:

DIN Lock Intumescent 30 Mins



Product Code: 2405.INT30
 Price:

DIN Lock Intumescent 60 Mins



Product Code: 2405.INT60
 Price:

Euro Profile Single Cylinder - 30mm



Dimensions: 30mm
 Product Code: 2430.3010.SC.TD
 Price:

Euro Profile Single Cylinder - 35mm



Dimensions: 35mm
 Product Code: 2430.3510.SC.TD
 Price:

Euro Profile Cylinder & Turn - 70mm



Dimensions: 35mm Key / 35mm Turn
 Product Code: 2430.3535T.SC.TD
 Price:

PRODUCTS

Safety Lever Handles



Dimensions: 19mm dia on 52x8mm Rose
Product Code: 1040.19.02.SSS
Price:

Euro Profile Escutcheons



Dimensions: 52 x 8mm Rose
Product Code: 1405.13.SSS
Price:

Accessible Turn & Indicator Set



Dimensions: 52 x 8mm Rose
Product Code: 1405.16.SSS
Price:

Euro Profile Cylinder Pull



Dimensions: 43 x 88mm
Product Code: 1420.03.SSS
Price:

Pull Handle - 300mm



Dimensions: 300mm x 19mm Dia
Product Code: 2005.19.300.BT.SSS
Price:

Finger Plate - 350 x 75mm



Dimensions: 350 x 75mm
Product Code: PP350X75R.SSS
Price:

Digital Door Lock with Lever Handles



Product Code: AC702.SSS
Price:

Digital Lock Intumescent 60 Mins



Product Code: PFKP
Price:

Lever Action Flush Bolt



Dimensions: 200 x 20mm
Product Code: Square: 3425.02.SSS
Radius: 3425.02R.SSS
Price:

Flush Bolt Intumescent 30/60 Mins



Product Code: 3425.02.INT60
Price:

Oval Door Stop



Dimensions: 45mm Dia
Product Code: 3410.21.SSS
Price:

Overhead Door Closer Size 2-4



Dimensions: Power Size EN2-4
Adjustable with Backcheck
Product Code: FL3241.SNP
Price:

PRODUCTS

Fire Door Keep Shut Sign



Dimensions: 76mm Dia
Product Code: 2670.02.SSS
Price:

Fire Door Keep Locked Sign



Dimensions: 76mm Dia
Product Code: 2670.03.SSS
Price:

Male Symbol



Dimensions: 76mm Dia
Product Code: 3645.01.SSS
Price:

Female Symbol



Dimensions: 76mm Dia
Product Code: 3645.02.SSS
Price:

Unisex Symbol



Dimensions: 76mm Dia
Product Code: 3645.03.SSS
Price:

Disabled Symbol



Dimensions: 76mm Dia
Product Code: 3645.06.SSS
Price:

Shower Symbol



Dimensions: 76mm Dia
Product Code: 3645.08.SSS
Price:

Kick Plate – 150mm



Dimensions: 150mm H x 900mm W
Nominal
Product Code: KP18S.SSS
Price:

Kick Plate – 200mm



Dimensions: 200mm H x 900mm W
Nominal
Product Code: KP18S.SSS
Price:

Intumescent Seal
– Fire & Smoke – 10mm



Dimensions: 10 x 4mm
Product Code: *White:* 104FSW
Brown: 104FWB
Price:

Intumescent Seal
– Fire Only – 10mm



Dimensions: 10 x 4mm
Product Code: *White:* 104FOW
Brown: 104FOB
Price:

Intumescent Seal
– Fire & Smoke – 15mm



Dimensions: 15 x 4mm
Product Code: *White:* 154FSW
Brown: 154FSB
Price:

Intumescent Seal – Fire Only – 15mm



Dimensions: 15 x 4mm
Product Code: *White:* 154FOW
Brown: 154FOB
Price:

Intumescent Seal – Fire & Smoke – 20mm



Dimensions: 20 x 4mm
Product Code: *White:* 204FSW
Brown: 204FWB
Price:

Intumescent Seal – Fire Only – 20mm



Dimensions: 20 x 4mm
Product Code: *White:* 204FOW
Brown: 204FOB
Price:

SYMBOL KEY



Single Door



Leaf and Half Door



Double Doors



Lever Handle



Turn & Release Set



Euro Profile Cylinder & Turn



Cylinder Pull



Single Euro Profile Cylinder



Finger Plate



Pull Handle



Door Closer



Euro Profile Escutcheon



Sash Lock



Dead Lock



Bathroom Lock



Latch



Digital Lock



Fire Kit for Digital Lock



Intumescent Jacket for Lock



Lever Action Flush Bolt



Intumescent Jacket for Flush Bolt



Male Symbol



Female Symbol



Unisex Symbol



Disabled Symbol



Shower Symbol



Door Stop



Fire Door Keep Shut Sign



Fire Door Keep Locked Sign



Non Fire Rated



Fire Rating 30 Minute FD30



Fire Rating 60 Minute FD60

